INDEX

A

AAREADME.TXT 10-4, 19-8
    annotated outline D-1
    example D-2
    TEXT object use A-107
    use as documentation 9-1
abbreviations and acronyms list F-1
Adobe PDF (language)
    documentation file formatting, use in 9-2
    file extension 9-2
aggregation markers 12-26
ALIAS object
    definition A-3
aliases 3-1
alternate time zones 12-26
    as date/time formats 7-4
ancillary data products
    minimum set of data elements needed to identify 5-16
apostrophes
    ODL symbolic values 12-20
    ODL text values 12-25
    See also - quotation marks
archive quality data set collection. See data set collections
ARRAY object
    definition A-4
    use as primitive object 13-3
.asc
    as required file extension 10-5
ASCII data. See file formats
ASCII_COMPLEX
    data type 3-3
ASCII_INTEGER
    data type 3-3
ASCII_REAL
    data type 3-3
ASCII text 9-2–9-4
assignment symbols (=) 12-26

B

B1950 system 2-1
    as a reference longitude 2-4
Backus-Naur format (BNF) 12-3
backward compatibility 3-1
.bc

bit string data
    use of 3-5
BIT_STRING
    data type 3-3
blocking
    in fixed length record formats 15-1
    in fixed length tables A-94
BNF. See Backus-Naur format
BOOLEAN
    data type 3-3
.bsp
    as reserved file extension 10-6
byte counts
    exclusion of line terminators and delimiters in objects A-15
    in HEADER objects A-45
    in pointer statements 14-1
    multiple tables with varying row_bytes A-99
    numbering convention 3-1
    use of START_BYTE in the ARRAY object A-4
    use of START_BYTE in the COLLECTION object A-14

C

CALINFO.TXT 10-4, 19-13
cartographic standards 2-1–2-3
case sensitivity
    data element 12-25
    strings and literals 12-25
.cat
    as required file extension 10-4, 10-5
CATALOG object
    definition A-11
    preferred method for supplying 19-9
    use with VOLUME object A-11
CATALOG.CAT 10-3, 19-9
    use within the VOLUME object A-11
    vs. VOLINFO.TXT files 10-3–10-4, 19-9
CATINFO.TXT 10-4, 19-9
CCSDS. See Consultative Committee for Space Data Systems (CCSDS)
CD-ROM
    recomendations for compilation 11-1–11-3
CHARACTER
    data type 3-3
character sets
    allowable in
        data set collection naming 6-5
        data set naming 6-4
        directory naming 8-2
        file naming 10-2
        ODL 12-4

comments 12-14, 12-25
COMPLEX
    data type 3-3
Consultative Committee for Space Data Systems (CCSDS) 16-1
    PVL vis-a-vis ODL 12-25
CONTAINER object
    definition A-19
    relationship with TABLE object A-102
coordinates, reference
    cartographic standards 2-1
coordinates, ring
    frame standard 2-4
CUBE object. See QUBE object

D

.dat
    as reserved file extension 10-6
data elements
    allowable length 12-25
    case sensitivity 12-25
    data type, location, length information in data objects 3-1, 3-2
    descriptive 5-17
        use of pointers 5-17
    file characteristic 5-11
    identification 5-15
        minimum sets to identify data products 5-15–5-16
    required and optional 5-11
data formats
    FORTRAN specifications 3-5
data object pointers. See pointers
data objects. See objects, data
Data Policy
    PDS Data Policy 1-1
Data Preparation Workbook
    bibliographic citation 1-2
    online availability 1-3
data processing level numbers 6-8–6-9
    use in names and IDs 6-4, 6-5, 6-6, 6-9
DATA PRODUCER object
    definition A-25
data product labels. See labels
data products
    definition 4-1, 6-3
    file configurations 4-1
    minimum set of data elements needed to identify 5-15–5-16
    multiple data objects
        construction of PRODUCT_ID 4-2
    Primary data product definition 4-1
    PRODUCT_ID, use of 4-1, 4-3

descriptions 6-6
relationships to data sets, data products 6-1
DATA SET MAP PROJECTION object
definition B-14
DATA SET object
definition B-3
data set types
use in NAMEs and IDs 6-9
data sets
contents 6-1–6-12
definition 6-3
naming 6-1–6-12
allowable character set 6-4
components of DATA_SET_NAME and ID 6-4
descriptions 6-6
PDS catalog object template set B-1–B-39
relationships to data set collections, data products 6-1
software, to accompany 6-3, 11-2
DATA SUPPLIER object
definition A-26
data types
definitions 3-1–3-5
internal representations 3-5, C-1–C-18
PDS standard data types 3-3
use of
binary integers 3-4
bit string data 3-5
floating point formats 3-5
signed versus unsigned 3-4
valid values 3-1–3-5
data volumes. See volumes, data
DATE
data type 3-3
date/time formats 7-1, 12-8, 12-26
alternate time zones 7-4
ephemeris time (ET) 7-4
ISO standards 7-1
local time 7-4
longitude of sun (L sub S) 7-3
NATIVE_TIME, use of 7-3–7-4
relative time 7-4
spacecraft clock count (sclk) 7-3
UTC, use of 7-3–7-4
delimiters. See line terminators and delimiters
Digital Image Model (DIM) 2-4
Digital Terrain Model (DTM) 2-4
directories
BROWSE 8-1
CALIB 8-1
CATALOG 8-1
DATA 8-2

path name formation 8-4, 10-1
use of ISO standards 8-4
SOFTWARE 8-1
standard names on data volumes 8-1
structures on tape volumes 8-4
volume and volume set 19-8–19-14
See also - file specification and naming
DIRECTORY object
definition A-27
use in tape volumes 8-4
DOCINFO.TXT 10-4, 19-8
TEXT object use A-107
DOCUMENT object
definition A-29
in document labels 9-1–9-7
use for multiple document formats A-29
use of .asc for file containing 10-5
use of pointers 5-12–5-14
documentation
AAREADME.TXT 9-1, 10-4, 19-8
CALINFO.TXT 10-4, 19-13
CATINFO.TXT 10-4, 19-9
content guidelines 9-1–9-7
DOCINFO.TXT 10-4, 19-8
EXTRINFO.TXT 19-15
file formatting
ASCII, use of 9-1–9-2, A-29
line length limitations 9-3
line terminators and delimiters 9-3
multiple formats on a volume A-29
pros/cons of various document formats 9-2–9-7
file labelling
DOCUMENT object, use of 9-2–9-3, A-29, A-107
TEXT object, use of 9-1–9-2, A-107
GAZETTER.TXT 19-10
GAZINFO.TXT 19-10
GEOMINFO.TXT 10-4, 19-14
INDXINFO.TXT 10-4, 19-14
LABINFO.TXT 10-4, 19-10
SOFTINFO.TXT 10-4, 19-11
standards for submission to archive 9-1–9-7
VOLINFO.TXT 10-3, 19-8

E

earthbased science data products
minimum set of data elements needed to identify 5-16
EBCDIC_CHARACTER
data type 3-3
ELEMENT object

Extended Attribute Records (XARs) 11-1
EXTRAS directory 19-15
EXTRINFO.TXT 19-15

F

file extensions. See file specification and naming.
file formats
    ASCII 3-1
        as storage format 3-1
        recommended table formats A-88
        use in documentation 9-1–9-2, A-29
            line length limitations 9-3
    binary 3-1
        as storage format 3-1
        recommended table formats A-91
    pros/cons of tabular data formats A-87
    pros/cons of various document formats 9-2–9-6
    See also - documentation
file names. See file specification and naming
FILE object
    definition A-33
    use with various record formats A-34
file specification and naming 10-1–10-7
    8.3 file name standard 10-2
    27.3 file name standard 10-2
    allowable character set 10-2
    path name formation 10-1
    required file examples D-1–D-11
    required file extensions 10-5
    required file names 10-2–10-5
    reserved file extensions 10-5
    reserved file names 10-5
    terms to avoid 10-1
    use of ISO standards 10-1–10-7
    See also - directories
files contained on data volumes
    required and optional 19-8–19-14
FITS
    use of HEADER object A-45
fixed length records. See record formats
FLOAT
    data type 3-3
floating point formats
    use of 3-5
.fmt
    as required file extension 10-6

H

HEADER object
    definition A-45
    use of pointers 5-12–5-14
HISTOGRAM object
    data type elements within 3-2
    definition A-47
    use of pointers 5-12–5-14
    See also - ITEMS
HISTORY object
    definition A-49
HTML. See HyperText Markup Language
HyperText Markup Language
    Character set 9-4
    documentation file formatting, use in 9-4–9-5
    excluded / discouraged capabilities 9-4
    file extension 9-2
    location of files 9-4

I

.ibg
    as reserved file extension 10-6
IBM_COMPLEX
    data type 3-3
IBM_INTEGER
    data type 3-3
IBM_REAL
    data type 3-3
IBM_UNSIGNED_INTEGER
    data type 3-3
IEEE_COMPLEX
    data type 3-3
    internal representation C-9
IEEE_REAL
    data type 3-3
    internal representation C-6
IMAGE MAP PROJECTION object
    definition A-57
IMAGE object
    data type elements within 3-2
    definition A-52
    use of pointers 5-12–5-14
.img
    as reserved file extension 10-6
.imq
    as reserved file extension 10-6
indentation within aggregations 12-26

INSTRUMENT HOST object
    definition B-23
INSTRUMENT object
    definition B-17
INTEGER
    data type 3-3
International Standards Organization (ISO)
    date/time formats 7-1
    use of standard in
        archive media 11-1
        directories 8-2
        directory path names 8-4
        file specifications 10-1–10-7
        ODL character set 12-4
INVENTORY object
    definition B-25
ITEMS 3-2, 12-1, 13-3
    See also - BIT COLUMN object
    See also - COLUMN object
    See also - HISTOGRAM object

J

J2000 system 2-1
    use in measuring ring longitudes 2-4
JPG (language)
    documentation file formatting, use in 9-2
    file extension 9-2

K

keywords. See data elements

L

label format 5-3
    See also - record formats
labels
    attached 5-1–5-15
        general structure 5-4–5-11
    combined detached 5-1–5-15
        general structure 5-6–5-11
    detached 5-1–5-15
        general structure 5-4–5-11
    END statements 5-18
    indentation within aggregations 12-26
    line length limitations 12-26
    minimal 5-8, 5-9

comment terminators 12-25
CR/LF as PDS standard 15-3
in ASCII documentation 9-3
in ODL 12-13
in stream record formats 15-2
in TABLE objects A-88
in TEXT objects A-107
statement terminators 12-25
vis-a-vis byte counts in objects A-15
literals. See strings and literals
local time
as date/time format 7-3
logical volumes. See volumes, logical
longitude of sun (L sub S)
as date/time format 7-2
LSB_BIT_STRING
data type 3-3
internal representation C-16
LSB_INTEGER
data type 3-3
internal representation C-4
LSB_UNSIGNED_INTEGER
data type 3-3
internal representation C-5

M

MAC_COMPLEX
data type 3-3
MAC_INTEGER
data type 3-3
MAC_REAL
data type 3-3
MAC_UNSIGNED_INTEGER
data type 3-3
map resolution, cartographic standard 2-4
media formats
as data volumes 19-1
for data submission and archive 11-1
use of ISO standards 11-1
MISSION object
definition B-27
MSB_BIT_STRING
data type 3-3
internal representation C-15
MSB_INTEGER
data type 3-4
internal representation C-1
MSB_UNSIGNED_INTEGER
data type 3-4

NASA processing levels
vis-a-vis CODMAC levels 6-8–6-9
See also - data processing level numbers 6-8–6-9
NATIVE_TIME
date/time formats, use in 7-3–7-4
non-decimal numbers 12-26
NULL
definition 17-2
implementation recommendations 17-2

O

Object Description Language (ODL) 5-1, 6-3
aggregation markers 12-26
allowable character set 12-4, 12-25
alternate time zones 12-26
apostrophes
use with symbolic values 12-20
assignment symbols (=) 12-26
attribute assignment statements 12-14
Backus-Naur format (BNF), use of 12-3
case sensitivity 12-25
comment terminators 12-25
comments 12-14, 12-25
dates and times 12-8
See also - date/time formats
differences between ODL versions 12-23
END statements 12-13, 12-26
GROUP statements 12-16
identifiers 12-11
indentation within aggregations 12-26
keyword length 12-25
language subsets 12-2
language supersets 12-2
line length limitations 12-26
line terminators 12-13
lines and records 12-13
non-decimal numbers 12-26
numbers 12-6
numeric values 12-17
OBJECT statements 12-15
See also - objects, data
pointer statements 12-15
See also - pointers
PVL-specific extensions, PDS implementation of 12-2
quotation marks 12-25
PDS recommendation on use 12-21
sequences 12-21, 12-26
sets 12-21
special characters 12-12

DATA SET COLLECTION B-11
DATA SET MAP PROJECTION B-14
INSTRUMENT B-17
INSTRUMENT HOST B-23
INVENTORY B-25
MISSION B-27
PERSONNEL B-33
REFERENCE B-35
SOFTWARE_INVENTORY B-36
TARGET B-38
objects, data
ALIAS A-3
ARRAY A-4
use as primitive object 13-3
BIT COLUMN A-7
data type data elements, use of 3-2
BIT ELEMENT A-10
use as primitive object 13-3
CATALOG A-11
COLLECTION A-14
use as primitive object 13-3
COLUMN A-15
data type data elements, use of 3-2
CONTAINER A-19
relationship with TABLE object A-102
DATA PRODUCER A-25
DATA SUPPLIER A-26
definition of term 5-12
definitions 5-1, 5-17, 13-1
data type, location, length information data elements in 3-2
generic and specific 13-1–13-3
use of pointers 5-17
DIRECTORY A-27
use in tape volumes 8-4
distinction between primary and secondary 4-1
DOCUMENT A-29
document labels, use in 9-1–9-3
use for multiple document formats on a volume A-29
use of .asc file extension 10-5
use of pointers 5-12–5-14
ELEMENT A-32
use as primitive object 13-3
FILE A-33
use with various record formats A-34
GAZETTEER_TABLE A-37
HEADER A-45
use of pointers 5-12–5-14
HISTOGRAM A-47
data type data elements, use of 3-2
use of pointers 5-12–5-14
HISTORY A-49

requiring pointers 5-12
QUBE A-70
use of pointers 5-12–5-14
SERIES A-78
relationship to TABLE object A-93
use of pointers 5-12–5-14
use of spare fields A-103–A-106
SPECTRUM A-82
relationship to TABLE object A-93
use of pointers 5-12–5-14
use of spare fields A-103–A-106
SPICE KERNEL A-85
use of pointers 5-12
use of pointers in attached labels 5-12–5-14
TABLE A-87
multiple tables with varying row_bytes A-99
recommended ASCII table formats A-88
recommended binary table formats A-91
record blocking in fixed length tables A-94
relationship to SERIES and SPECTRUM objects A-93
relationship with CONTAINER object A-102
use of pointers 5-12–5-14
use of quotation marks A-88
use of spare fields A-103–A-106
TEXT A-107
document labels, use in 9-1–9-2
use of .txt file extension 10-5
use of pointers in attached labels 5-12–5-14
VOLUME A-109
use in tape volumes 8-4
use of CATALOG object A-11
objects, primitive
ARRAY 13-3
BIT ELEMENT 13-3
COLLECTION 13-3
discussion of use 13-3
ELEMENT 13-3
online document availability
Data Preparation Workbook 1-3
Planetary Science Data Dictionary (PSDD) 1-3
operating system/environments
standards concerning various 3-3–3-4, 11-1–11-3, 15-1–15-3, 19-12, 19-15
See also - VAX/VMS platform support

P

padding. See spare fields
PALETTE object
definition A-67
use of pointers 5-12–5-14

internal representation C-9
PC_UNSIGNED_INTEGER
data type 3-4
PDF (Adobe language)
documentation file formatting, use in 9-2
file extension 9-2
PDS catalog object template set B-1–B-39
PDS Data Policy 1-1
PDS standard objects A-1–A-115
PDS_VERSION_ID
standard for this document set 5-11
use with SFDU 5-11
PDS website 1-3
PERSONNEL object
definition B-33
Planetary Cartography Working Group (PCWG) 2-1
Planetary Science Data Dictionary (PSDD)
bibliographic citation 1-2
online availability 1-3
planetocentric coordinate system 2-2–2-3
planetographic coordinate system 2-2–2-3
pointers 5-12–5-15, 14-1–14-3
ODL specifications 12-15
PDS objects that generally require 5-12
rules for resolving 14-3
types of pointers 14-1–14-3
use in
data object definitions 5-17
labels 5-4–5-15
use with
descriptive data elements 5-17
Postscript
documentation file formatting, use in 9-2
file extension 9-2
prefix or suffix data
in IMAGE objects A-52
in QUBE object A-70–A-75
in SPECTRUM object A-82
in TABLE object A-101–A-102, A-103–A-106
primary data object
definition 4-1
prime meridians, cartographic standard 2-1
PRODUCT_ID
construction for products with multiple data objects 4-2
use as a unique data product identifier 4-1–4-3
PVL. See Parameter Value Language

Q

qub

quotation marks, single. See apostrophes

R

REAL
    data type 3-4
record formats 5-11, 15-1–15-3
    FILE object
        use with A-34
    fixed length 15-1
        physical and logical structure 15-1–15-2
        record blocking in tables A-94
        setting record length = RECORD_BYTES 15-2
    recommended 15-1
    SFDU use 16-4, 16-6, 16-7
    stream 15-2
        utilities to convert between operating systems 15-3
    undefined 15-3
    use in detached label files 15-3–15-4
    variable length 15-3
        PDS VAX/VMS convention 15-3
    See also - label format
reference coordinates, cartographic standard 2-1
reference documents
    cartographic standards 2-4
    Data Preparation Workbook
        bibliographic citation 1-2
        online availability 1-3
    International Standards Organization (ISO) 1-2, 7-1, 8-2, 8-4, 10-1, 11-1, 12-4
    Planetary Science Data Dictionary (PSDD)
        bibliographic citation 1-2
        online availability 1-3
    SFDU and PVL 1-2, 5-11
REFERENCE object
    definition B-35
reference surface, cartographic standard 2-4
relative time
    as date/time format 7-3
required data elements
    minimum sets to identify data products 5-15–5-16
required file names on data volumes 10-3
required files on data volumes 19-8–19-14
Rich Text (language)
    documentation file formatting, use in 9-2
    file extension 9-2
rings, coordinate frame standard 2-4
RTF. See Rich Text Language

use of pointers 5-12–5-14
use of spare fields A-103–A-106
SFDU. See Standard Formatted Data Unit (SFDU)
SGML. See Standard Generalized Markup Language
signed/unsigned data types
use of 3-4
SOFTINFO.TXT 10-4, 19-11
annotated outline D-8
example D-8
TEXT object use A-107
software
to accompany data sets 6-3, 11-2
SOFTWARE_INVENTORY object
definition B-36
spacecraft clock count (sclk)
as date/time format 7-3
spacecraft science data products
minimum set of data elements needed to identify 5-16
spare fields
use in TABLE, SPECTRUM and SERIES objects A-103– A-106
SPECTRUM object
definition A-82
relationship to TABLE object A-93
use of pointers 5-12–5-14
use of spare fields A-103–A-106
SPICE KERNEL object
definition A-85
use of pointers 5-12
spin axes, cartographic standard 2-1
Standard Formatted Data Unit (SFDU)
PDS use of 16-1
record formats, use with various 16-4, 16-6, 16-7
reference documents 1-2, 5-11
use in PDS labels 5-11
use with END statements 5-18
Version 3 components 16-1
ZI organization 16-2
ZKI organization 16-5
Standard Generalized Markup Language (SGML)
documentation file formatting, use in 9-4–9-5
standards, compliance
PDS Data Policy 1-1
statement terminators. See line terminators and delimiters
stream records. See record formats
strings and literals
case sensitivity 12-25
suffix data. See prefix or suffix data
SUN_COMPLEX
data type 3-4
SUN_INTEGER
data type 3-4

TABLE object
definition A-87
multiple tables with varying row_bytes A-99
recommended ASCII table formats A-88
recommended binary table formats A-91
record blocking in fixed length tables A-94
relationship to SERIES and SPECTRUM objects A-93
relationship with CONTAINER object A-102
use of pointers 5-12–5-14
use of quotation marks A-88
use of spare fields A-103–A-106
tabs
use in PDS labels 12-26
use in TEXT objects A-107
tape volumes. See volumes, data
TARGET object
definition B-38
targets
use in NAMEs and IDs 6-6
.tc
as reserved file extension 10-6
terminators. See line terminators and delimiters
TeX
documentation file formatting, use in 9-2
TEXT object
definition A-107
in document labels 9-1–9-7
use of .txt for file containing 10-5
.ti
as reserved file extension 10-6
TIFF
documentation file formatting, use in 9-2
file extension 9-2
TIME
data type 3-4
time formats. See date/time formats
timetags, cartographic standard 2-1
.tls
as reserved file extension 10-6
.tpc
as reserved file extension 10-6
.tsc
as reserved file extension 10-6
.tsp
as reserved file extension 10-6
.txt
as required file extension 10-5

V

variable length records. See record formats
VAX/VMS platform support 3-4, 11-1, 15-1, 15-3, 19-13, 19-16
    See also - operating system/environments
        standards concerning various
VAX_BIT_STRING
    data type 3-4
VAX_COMPLEX
    data type 3-4
    internal representation C-15
VAX_DOUBLE
    data type 3-4
VAX_INTEGER
    data type 3-4
VAX_REAL
    data type 3-4
    internal representation C-12
VAX_UNSIGNED_INTEGER
    data type 3-4
VAXG_COMPLEX
    data type 3-4
    internal representation C-15
VAXG_REAL
    data type 3-4
    internal representation C-12
version numbers
    use in NAMEs and IDs 6-11
VICAR
    use of HEADER object A-45
VOLDESC.CAT 10-3, 19-8
VOLDESC.SFD 10-5, 19-8
VOLINFO.TXT 10-4, 19-8
    TEXT object use A-107
    use as documentation 9-1
    vs. CATALOG.CAT files 10-3–10-4, 19-9
VOLUME object
    definition A-109
    use in tape volumes 8-4
    use of CATALOG object within A-11
    use of CATALOG.CAT file A-11
volumes, data
    required and optional files 19-8–19-14
    required file names 10-3–10-4
    standard directory names 8-1–8-2
    tape volume directory structures 8-4
    volume ID formation 19-16
    volume naming 19-18
    volume organizations 19-1, 19-14

W

Word (Microsoft)
    documentation file formatting, use in 9-2
    file extension 9-2

X

XARs (Extended Attribute Records) 11-1

Z

Zip compression 20-1–20-6
    Additional files 20-6
    file extension 20-2
    ZIPINFO.TXT 20-5